

Kitemark™ Certificate

This is to certify that:

VEKA plc
Farrington Road
Rossendale Road Industrial Estate
Burnley
BB11 5DA
United Kingdom

Holds Certificate Number:

KM 12875

In respect of:

BS EN 12608
PVC-U Profiles for the fabrication of windows and doors

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Chris Lewis - Certification Director, Product Certification

First Issued: 1991-10-01
Latest Issue: 2020-06-03

Effective Date: 2020-06-03
Expiry Date: 2023-06-02

Page: 1 of 34



...making excellence a habit.™

Kitemark™ Certificate

No. KM 12875

BS EN 12608:2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.

This Certificate covers the following window system design specification. The following materials are also certificated for use with windows and doors in conjunction with BS 7412 when foiled in accordance with BS 7722:2010: Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed.

System(s): VEKASlide 82 Lift and Slide System

Material References: PVC-U: Halo Blend Reference Document QCF55/A
Gaskets/Weatherstrips: Trelleborg 408 (Evoprene 991)
Hydro Polymers VA2010

Fabrication and Installation: Fabricated and installed in accordance with the latest issue(s) of the following Veka plc controlled manual(s): VEKASlide 82 Lift and Slide System.

System description: The system comprises up to 4 panes, fixed or horizontal sliding and of fully welded construction.

Size Limitations and Performance Characteristics

Door Type	Length (mm) - Maximum	Height (mm) - Maximum (including sill)	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1
Sash dimensions for doors with approved outer frame and sash profiles:						
2/3/4 panes	1983	2183	4	7A	C2/B2	800

First Issued: 1991-10-01

Latest Issue: 2020-06-03

Effective Date: 2020-06-03

Expiry Date: 2023-06-02

Page: 32 of 34

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).